



TITLE:

<教育研究>4.業績目録

AUTHOR(S):

---

CITATION:

<教育研究>4.業績目録. 瀬戸臨海実験所年報 1987, 1: 12-30

ISSUE DATE:

1987-03-25

URL:

<http://hdl.handle.net/2433/178808>

RIGHT:

#### 4. 業 績 目 録

瀬戸臨海実験所を利用して行われた研究をとりまとめた欧文・邦文業績、並びに実験所所員によるその他の著作については、1970年まで出版されたものの目録が、瀬戸臨海実験所紀要第22巻までの各巻巻末に掲載されてきたが、それ以後それらの目録の公表は行っていない。従って、ここでは、1971年以来1985年までに発表された業績その他をまとめて掲載することにする。

##### 欧 文 業 績

533. Yosii, R. 1971. Halophilous Collembola of Japan. Publ. Seto Mar. Biol. Lab., 18 : 279-290.
534. Sawada, K. 1971. Aleocharinae (Staphylinidae, Coleoptera) from the cam- : Hirase 1927, from Japan (Opistho- : branchia : Notaspidea). Venus (Jap. Lab., 18 : 291-315.
535. Utinomi, H. 1971. Records of Pycnogonida from shallow waters of Japan. Publ. Seto Mar. Biol. Lab., 18 : 317-347.
536. Morino, H. 1971. Record of *Typhlotanais*, a tube-building paratanaid, from Seto (Crustacea : Malacostraca). Publ. Seto Mar. Biol. Lab., 18 : 349-354.
537. Utinomi, H. 1971. *Nymphon chaetochir* n.sp., a new deepsea pycnogonid from Chatham Rise, east of New Zealand. Jour. Roy. Soc. N.Z., 1 : 197-202.
538. Harada, E. 1971. A new amphipod of the genus *Siphonoecetes* from the shallow bottom of southern Japan, with reference to the diagnoses of the genus and its species. Publ. Seto Mar. Biol. Lab., 18 : 355-378.
539. Kobayashi, N. 1971. Fertilized sea urchin eggs as an indicatory material for marine pollution bioassay, preliminary experiments. Publ. Seto Mar. Biol. Lab., 18 : 379-406.
540. Senawong, Ch. & T. Tokioka. 1971. Notes on *Herdmania momus* (Savigny) from the Gulf of Thailand. Publ. Seto Mar. Biol. Lab., 18 : 407-411.
541. Tokioka, T. 1971. The ascidian genera *Pterygascidia* Sluiter, 1904 and *Ciallusia* Van Name, 1918. Zool. Mededelingen, 45 : 119-125.
542. Baba, K. 1971. *Pleurobranchus hirasei* n.sp., proposed for a mollusc formerly known as *Oscanius testudinarius* : Hirase 1927, from Japan (Opistho-branchia : Notaspidea). Venus (Jap. J. Malac.), 30 : 23-28.
543. Utinomi, H. 1971. Octocorallia. Mem. Nat. Mus. Vic., 32 : 7-18.
544. Tokioka, T. 1971. Redescription of *Pterygascidia mirabilis* Sluiter, 1904 (Asciacea, Cionidae), based on the type specimens. Beaufortia, 18 : 191-198.
545. Yamanishi, R. & A. Tanaka. 1971. Contributions to the biology of littoral sea urchins I. Measurements of clinging power and observations on stability of sea urchin colonies. Publ. Seto Mar. Biol. Lab., 19 : 2-15.
546. Senawong, C. 1971. Biological studies of a littoral mussel, *Hormomya mutabilis* (Gould) II. Comparative observations on clearing and squirt- ing activities in two littoral mussels,

- Hormomya mutabilis* (G.) and *Modiolus agripetus* (Iredale). Publ. Seto Mar. Biol. Lab., 19 : 27-38.
547. Tokioka, T. 1971. Phylogenetic speculation of the Tunicata. Publ. Seto Mar. Biol. Lab., 19 : 43-63.
548. Utinomi, H. 1971. Intertidal alcyonarians in the vicinity of Darwin, Northern Territory, Australia. Rec. Aust. Mus., 28 : 87-110.
549. Umezaki, I. 1971. The tetrasporophyte of *Scinaia japonica* Setchell (Nemaliales-Rhodophyta). Publ. Seto Mar. Biol. Lab., 19 : 65-71.
550. Sawada, K. 1971. Aleocharinae (Staphylinidae, Coleoptera) from the intertidal zone of Japan. Publ. Seto Mar. Biol. Lab., 19 : 81-110.
551. Tokioka, T. 1971. A new species of *Rhopalaea* from the Pacific coast of Costa Rica (Tunicata, Ascidiacea). Publ. Seto Mar. Biol. Lab., 19 : 119-122.
552. Yamamoto, T. 1971. A new species of *Primovula* from Japan, parasitic to a gorgonid (Gastropoda : Ovulidae). Publ. Seto Mar. Biol. Lab., 19 : 191-195.
553. Baba, K. & I. Hamatani. 1971. Record of *Phyllobranchillus orientalis* (Kelaart, 1858) (syn. *Branchophyllum orientale* var. *sagamiense* Baba, 1955) from Cape Shiono-misaki, Kii, middle Japan (Opisthobranchia : Sacoglossa). Publ. Seto Mar. Biol. Lab., 19 : 197-201.
554. Utinomi, H. 1971. Scleractinian corals from Kamae Bay, Oita Prefecture, northeast of Kyushu, Japan. Publ. Seto Mar. Biol. Lab., 19 : 203-229.
555. Sakai, K. 1971. A new burrower, *Upogebia* (*Calliadne*) *kiiensis* sp. nov. (Crustacea, Thalassinidea), collected from Kii, Japan. Publ. Seto Mar. Biol. Lab., 19 : 243-247.
556. Senawong, C. 1972. Biological studies of a littoral mussel, *Hormomya mutabilis* (Gould) III. Distributions of *Hormomya* and *Modiolus* on Hatakezima Island. Publ. Seto Mar. Biol. Lab., 19 : 269-291.
557. Watanabe, H. & T. Tokioka. 1972. Two new species and one possibly new race of social styelids from Sagami Bay, with remarks on their life history, especially the mode of budding. Publ. Seto Mar. Biol. Lab., 19 : 327-345.
558. Miya, Y. 1972. The Alpheidae (Crustacea, Decapoda) of Japan and its adjacent waters. Part I. Publ. Amakusa Mar. Biol. Lab. (Kyushu Univ.), 3 : 23-101.
559. Kobayashi, N., H. Nogami & K. Doi. 1972. Marine pollution bioassay by using sea urchin eggs in the Inland Sea of Japan (the Seto-Naikai). Publ. Seto Mar. Biol. Lab., 19 : 359-381.
560. Tokioka, T. 1972. On a small collection of ascidians from the Pacific coast of Costa Rica. Publ. Seto Mar. Biol. Lab., 19 : 383-408.
561. Nishimura, S., K. Shirai, T. Tatsuki & C. Sugihara. 1972. The Pacific ridley turtle in Japanese and adjacent waters. Publ. Seto Mar. Biol. Lab., 19 : 415-426.
562. Senawong, C. 1972. *Eudistoma laysani* (Sluiter) from the Gulf of Thai-

- land. Publ. Seto Mar. Biol. Lab., 19 : 427-430.
563. Yanagisawa, Y. 1972. Preliminary observations on the so-called heaping behaviour in a sea urchin, *Hemicentrotus pulcherrimus* (A. Agassiz). Publ. Seto Mar. Biol. Lab., 19 : 431-435.
564. Taki, I. 1972. On a new species of *Lamellaria* (*L. utinomii*, n. sp.) from Shirahama, Wakayama Prefecture, Japan (Moll., Gastropoda). Publ. Seto Mar. Biol. Lab., 21 : 1-12.
565. Hamatani, I. 1972. A new species of *Volvatella* Pease, 1860, found in the "caulerpan microfauna" in the Province of Kii, Middle Japan (Opisthobranchia : Sacoglossa). Publ. Seto Mar. Biol. Lab., 21 : 13-20.
566. Tokioka, T. & Y. Kado. 1972. The occurrence of *Molgula manhattensis* (De Kay) in brackish water near Hiroshima, Japan. Publ. Seto Mar. Biol. Lab., 21 : 21-29.
567. Morino, H. 1972. Studies on the Talitridae (Amphipoda, Crustacea) in Japan I. Taxonomy of *Talorchestia* and *Orchestoidea*. Publ. Seto Mar. Biol. Lab., 21 : 43-65.
568. Werner, B. 1973. New investigations on systematics and evolution of the class Scyphozoa and the phylum Cnidaria. Publ. Seto Mar. Biol. Lab., 20 : 35-61.
569. Utinomi, H. & E. Harada. 1973. Rediscovery of an enigmatic octocoral, *Pseudogorgia godeffroyi* K  lliker, from southern Australia and a discussion on its systematic position. Publ. Seto Mar. Biol. Lab., 20 : 111-132.
570. Tokioka, T. 1973. Considerations on the segregation of right and left handed types in *Physalia*. Publ. Seto Mar. Biol. Lab., 20 : 141-144.
571. Utinomi, H. 1973. Description of a new species of *Telesto* from the Inland Sea of Japan, with a review of the Telestacean octocorals. Publ. Seto Mar. Biol. Lab., 20 : 145-155.
572. Imafuku, M. 1973. On some physiological aspects in the daily rhythmic activity of the sea-pen, *Cavernularia obesa* Valenciennes. Publ. Seto Mar. Biol. Lab., 20 : 431-454.
573. Mori, S. & H. Tanase. 1973. Studies on the daily rhythmic activity of the sea-pen, *Cavernularia obesa* Valenciennes. XVIII. Ontogenic development of the daily rhythmic activity. Publ. Seto Mar. Biol. Lab., 20 : 455-467.
574. Yamamoto, T. 1973. Molluscs symbiotic with coelenterates in Japan, with special reference to Ovulidae and allied forms. Publ. Seto Mar. Biol. Lab., 20 : 567-581.
575. Kawaguti, S. 1973. Electron microscopy on symbiotic algae in reef corals. Publ. Seto Mar. Biol. Lab., 20 : 779-783.
576. Hamatani, I. & N. Nunomura. 1973. A new species of the interstitial eolidacean genus *Pseudovermis* (Opisthobranchia) from Kii, Middle Japan. Publ. Seto Mar. Biol. Lab., 21 : 67-71.
577. Yamanishi, R. 1973. A new species of *Saccocirrus* (Archiannelida) in Japan. Publ. Seto Mar. Biol. Lab., 21 : 73-76.

578. Izawa, K. 1973. On the development of parasitic Copepoda I. *Sarcotaces pacificus* Komai (Cyclopoida : Philichthyidae). Publ. Seto Mar. Biol. Lab., 21 : 77-86.
579. Nunomura, N. 1973. Description of *Microcerberus kiiensis*, n. sp. : primary record of the suborder Microcerberidea (Crustacea, Isopoda) in Japan. Publ. Seto Mar. Biol. Lab., 21 : 87-93.
580. Koshida, Y. 1973. Practical application of acetylcholine method as a non-injurious means to obtain eggs from sea urchins. Publ. Seto Mar. Biol. Lab., 21 : 95-98.
581. Watanabe, H. & T. Tokioka. 1973. On a new species of *Clavelina* from Japan, with remarks on its mode of budding. Publ. Seto Mar. Biol. Lab., 21 : 99-107.
582. Kobayashi, N. 1973. Studies on the effects of some agents on fertilized sea urchin eggs, as a part of the bases for marine pollution bioassay I. Publ. Seto Mar. Biol. Lab., 21 : 109-114.
583. Yamaguchi, T. 1973. On *Megabalanus* (Cirripedia, Thoracica) of Japan. Publ. Seto Mar. Biol. Lab., 21 : 115-140.
584. Utinomi, H. 1973. Additional records of Caprellidae (Crustacea, Amphipoda) from Japan. Bull. Biogeogr. Soc. Jap., 29 : 29-38.
585. Miya, Y. 1974. The Alpheidae (Crustacea, Decapoda) of Japan and its adjacent waters. Part II. Publ. Amakusa Mar. Biol. Lab., 3 : 103-195.
586. Izawa, K. 1974. *Sarcotaces*, a genus of parasitic copepods (Cyclopoida : Philichthyidae), found on Japanese fishes. Publ. Seto Mar. Biol. Lab., 21 : 179-191.
587. Tokioka, T. 1974. Morphological differences observed between the generations of the same chaetognath population. Publ. Seto Mar. Biol. Lab., 21 : 269-279.
588. Bieri, R. 1974. A new species of *Spadella* (Chaetognatha) from California. Publ. Seto Mar. Biol. Lab., 21 : 281-286.
589. Izawa, K. 1974. On three new species of *Colobomatus* (Cyclopoida : Philichthyidae) parasitic on Japanese fishes. Publ. Seto Mar. Biol. Lab., 21 : 335-343.
590. Izawa, K. 1975. A new and a known chondracanthid copepods parasitic on fishes from Tanabe Bay. Annot. Zool. Japon., 48 : 108-118.
591. Cordero, P. A., Jr. 1974. Phycological observations—I. Genus *Porphyra* of the Philippines, its species and their occurrences. Sorui (Bull. Jap. Soc. Phycol.), 22 : 134-142.
592. Cordero, P. A., Jr. 1976. Phycological observations II. *Porphyra marcosii*, a new species from the Philippines. Acta Manilana, Ser. A, 15 : 14-24.
593. Kobayashi, N. 1974. Marine pollution bioassay by sea urchin eggs, an attempt to enhance accuracy. Publ. Seto Mar. Biol. Lab., 21 : 377-391.
594. Tokioka, T. 1974. On the specific validity in species pairs or trios of plankton animals, distributed respec-

- tively in different but adjoining water masses, as seen in chaetognaths. Publ. Seto Mar. Biol. Lab., 21 : 393-408.
595. Cordero, P. A., Jr. 1975. Notes on some little-known red algal epiphytes of Japan. Publ. Seto Mar. Lab., 22 : 223-228.
596. Cordero, P. A., Jr. 1974. *Udotea polychotomis*, a new species of Chlorophyta from the Caroline Islands. Micronesica, 10 : 243-249.
597. Schornikov, E. I. 1975. Ostracod fauna of the intertidal zone in the vicinity of the Seto Marine Biological Laboratory. Publ. Seto Mar. Biol. Lab., 22 : 1-30.
598. Cordero, P. A., Jr. 1975. Some epiphytic algae in the vicinity of the Seto Marine Biological Laboratory, Wakayama Prefecture, Japan I. Publ. Seto Mar. Biol. Lab., 22 : 121-145.
599. Izawa, K. 1975. On the development of parasitic Copepoda II. *Colobomatulus pupa* Izawa (Cyclopoida : Philichthyidae). Publ. Seto Mar. Biol. Lab., 22 : 147-155.
600. Ross, D. M. 1975. The behavior of pagurids in symbiotic associations with actinians in Japan. Publ. Seto Mar. Biol. Lab., 22 : 157-170.
601. Morino, H. 1975. Studies on the Talitridae (Amphipoda, Crustacea) in Japan II. Taxonomy of sea-shore *Orchestia*, with notes on the habitats of Japanese sea-shore talitrids. Publ. Seto Mar. Biol. Lab., 22 : 171-193.
602. Imafuku, M. 1975. Peristalsis in the monopolypid stage of the sea-pen, *Cavernularia obesa* Valenciennes. Publ. Seto Mar. Biol. Lab., 22 : 195-216.
603. Nishikawa, T. & T. Tokioka. 1975. Contributions to the Japanese ascidian fauna XXVI. Notes on simple ascidians commonly found in the waters near the Sabiura Marine Park Research Laboratory. Publ. Seto Mar. Biol. Lab., 22 : 217-222.
604. Utinomi, H. 1975. Octocorallia collected by trawling in the Western Australia. (A biological result of I. I. O. E.-Collections). Publ. Seto Mar. Biol. Lab., 22 : 237-266.
605. Cordero, P. A., Jr. 1975. Phycological observations—III. On the occurrence of genus *Actinotrichia* in the Philippines. Publ. Seto Mar. Biol. Lab., 22 : 267-276.
606. Baba, K. 1975. *Neomenia yamamotoi* spec. nov., a gigantic solenogaster (Mollusca : class Solenogastres, family Neomeniidae), occurring in the north-eastern part of Japan. Publ. Seto Mar. Biol. Lab., 22 : 277-284.
607. Tokioka, T. & T. Nishikawa. 1975. Contributions to the Japanese ascidian fauna XXVII. Some ascidians from Okinawa, with notes on a small collection from Hong Kong. Publ. Seto Mar. Biol. Lab., 22 : 323-341.
608. Yoshino, T. 1975. *Parapercis gushikenii*, a new mugiloid fish from the Ryukyu Islands. Publ. Seto Mar. Biol. Lab., 22 : 343-346.
609. Nishikawa, T. & T. Tokioka. 1976. Contributions to the Japanese ascidian fauna XXVIII. Ascidians from the Amami Islands. Publ. Seto Mar. Biol. Lab., 22 : 377-402.

610. Harada, E. 1976. Notes on aggregation behaviour of free-swimming sea-urchin larvae. *Physiol. Ecol. Japan*, 17 : 579-582.
611. Imafuku, M. 1976. On the mechanism of the activity rhythm of the sea-pen, *Cavernularia obesa* Valenciennes. *Publ. Seto Mar. Biol. Lab.*, 23 : 1-17.
612. Kobayashi, N. & T. Tokioka. 1976. Preliminary observation on the maturation of the burrowing sea urchin, *Echinostrephus aciculatus* (A. Agassiz), in the vicinity of Seto. *Publ. Seto Mar. Biol. Lab.*, 23 : 57-62.
613. Nishikawa, T. & T. Tokioka. 1976. Contributions to the Japanese ascidian fauna XXIX. Notes on some clavellinids from the Japanese waters. *Publ. Seto Mar. Biol. Lab.*, 23 : 63-82.
614. Cordero, P. A., Jr. 1976. Phycological observations -IV. Two noteworthy species of *Caulerpa* (Chlorophyta) from the Philippines. *Publ. Seto Mar. Biol. Lab.*, 23 : 83-87.
615. Izawa, K. 1976. Two semi-parasitic copepods of marine invertebrates from Japan (Cyclopoida : Lichomolgidae). *Publ. Seto Mar. Biol. Lab.*, 23 : 89-98.
616. Usuki, H. 1976. Observations on the territorial behaviour of Japanese majorra, *Gerres oyena* (Forsskål), in the vicinity of Seto. *Publ. Seto Mar. Biol. Lab.*, 23 : 105-118.
617. Kuwamura, T. 1976. Different responses of inshore fishes to the cleaning wrasse, *Labroides dimidiatus*, as observed in Sirahama. *Publ. Seto Mar. Biol. Lab.*, 23 : 119-144.
618. Yanagisawa, Y. 1976. Genus *Amblyeleotris* (Gobiidae) of Japan and geographical variations of *A. japonica* Takagi. *Publ. Seto Mar. Biol. Lab.*, 23 : 145-168.
619. Nishimura, S. 1976. Redescription of *Leptosphaeroma gottschei* Hilgendorf (Isopoda, Sphaeromatidae), with some biological notes. *Publ. Seto Mar. Biol. Lab.*, 23 : 169-177.
620. Morino, H. 1976. On two forms of *Cerapus tubularis*, a tube dwelling Amphipoda, from shallow waters of Japan. *Publ. Seto Mar. Biol. Lab.*, 23 : 179-189.
621. Maruyama, Y. K. & N. Satoh. 1977. Pattern of blastula formation in sea urchin development. *Publ. Seto Mar. Biol. Lab.*, 24 : 1-8.
622. Utinomi, H. 1976. A review of the Japanese species of *Alcyonium*, with descriptions of two new species and an almost forgotten rare species (Octocorallia, Alcyonacea). *Publ. Seto Mar. Biol. Lab.*, 23 : 191-204.
623. Utinomi, H. & Y. Imahara. 1976. A new second species of dimorphic alcyonacean octocoral *Minabea* from the Bays of Sagami and Suruga, with the emendation of generic diagnosis. *Publ. Seto Mar. Biol. Lab.*, 23 : 205-212.
624. Izawa, K. 1976. Two new parasitic copepods (Cyclopoida : Myicolidae) from Japanese gastropod molluscs. *Publ. Seto Mar. Biol. Lab.*, 23 : 213-227.
625. Izawa, K. 1976. A new parasitic copepod, *Philoblenna arabici* gen. et sp.

- nov., from a Japanese gastropod, with proposal of a new family Philoblennidae (Cyclopoida : Poecilostoma). Publ. Seto Mar. Biol. Lab., 23 : 229-235.
626. Cordero, P. A., Jr. 1976. Taxonomy, distribution and seasonal occurrence of the genus *Galaxaura* in the vicinity of the Seto Marine Biological Laboratory. Publ. Seto Mar. Biol. Lab., 23 : 237-256.
627. Nishimura, S. 1976. *Dynoidella conchicola*, gen. et sp. nov. (Isopoda, Sphaeromatidae), from Japan, with a note on its association with intertidal snails. Publ. Seto Mar. Biol. Lab., 23 : 275-282.
628. Izawa, K. 1976. A new parasitic copepod, *Tegobomolochus nasicola* gen. et sp. nov. (Cyclopoida : Bomolochidae), from a Japanese goatfish. Publ. Seto Mar. Biol. Lab., 23 : 289-298.
629. Imafuku, M. 1976. On the nocturnal behavior of *Tylos granulatus* Miers (Crustacea : Isopoda). Publ. Seto Mar. Biol. Lab., 23 : 299-340.
630. Tokioka, T. & T. Nishikawa. 1976. Contributions to the Japanese ascidian fauna XXX. Further notes on Japanese clavelinids. Publ. Seto Mar. Biol. Lab., 23 : 341-350.
631. Yamanishi, R. 1976. Interstitial polychaetes of Japan I. Three new pisionid worms from Western Japan. Publ. Seto Mar. Biol. Lab., 23 : 371-385.
632. Cordero, P. A., Jr. 1977. Studies on Philippine marine red algae. Spec. Publ. Seto Mar. Biol. Lab., Series 4.
633. Nunomura, N. & S. Nishimura. 1976. Marine Isopoda from the rocky shore of Osaka Bay, middle Japan (2). Bull. Osaka Mus. Nat. Hist., 30 : 19-26.
634. Imaoka, T. 1977. A brief observation of ossicles in a sea cucumber, *Ilyodaeon iijimai* Mitsukuri. Publ. Seto Mar. Biol. Lab., 23 : 387-391.
635. Nishikawa, T. 1977. Preliminary report on the biology of the enteropneust, *Ptychodera flava* Eschscholtz, in the vicinity of Kushimoto, Japan. Publ. Seto Mar. Biol. Lab., 23 : 393-419.
636. Tokioka, T. 1977. Further record of *Spadella angulata* Tokioka in the western North Pacific. Publ. Seto Mar. Biol. Lab., 23 : 421-424.
637. Satoh, N. & Y. K. Maruyama. 1977. A linear relation between the egg size and average rate of embryonic volume increase in sea urchins. Zool. Mag., Tokyo, 86 : 137-140.
638. Kobayashi, N. 1977. Preliminary experiments with sea urchin pluteus and metamorphosis in marine pollution bioassay. Publ. Seto Mar. Biol. Lab., 24 : 9-21.
639. Tokioka, T. and T. Nishikawa. 1977. Record of an ascidian found attached to a holothurian, *Pseudostichopus* sp. Publ. Seto Mar. Biol. Lab., 24 : 23-26.
640. Tanita, S. 1977. Sponges obtained from Kii-Shirahama and its vicinity. Publ. Seto Mar. Biol. Lab., 24 : 29-41.
641. Yanagisawa, Y. 1977. Some consideration on vomerine teeth and vomerine protuberance in the gobiid fish.



- Publ. Seto Mar. Biol. Lab., 24 : 209-221.
642. Usuki, H. 1977. Underwater observations and experiments on pair formation and related behaviours of the apogonid fish, *Apogon notatus* (Houttuyn). Publ. Seto Mar. Biol. Lab., 24 : 223-243.
  643. Morino, H. 1978. Studies on the Talitridae (Amphipoda, Crustacea) in Japan III. Life history and breeding activity of *Orchestia platensis* Krøyer. Publ. Seto Mar. Biol. Lab., 24 : 245-267.
  644. Yanagisawa, Y. 1978. Studies on the interspecific relationship between gobiid fish and snapping shrimp. I. Gobiid fishes associated with snapping shrimps in Japan. Publ. Seto Mar. Biol. Lab., 24 : 269-325.
  645. Wada, K. 1978. Two forms of *Macrophthalmus japonicus* De Haan (Crustacea : Brachyura). Publ. Seto Mar. Biol. Lab., 24 : 327-340.
  646. Tokioka, T. & T. Nishikawa. 1978. Contributions to the Japanese ascidian fauna XXXI. A new deep-water styelid from Suruga Bay. Publ. Seto Mar. Biol. Lab., 24 : 341-347.
  647. Imaoka, T. 1978. Three new species of the genus *Pseudostichopus* from the Japanese waters (Holothurioidea : Gephyrothuriidae). Publ. Seto Mar. Biol. Lab., 24 : 377-385.
  648. Yamaoka, K. 1978. Pharyngeal jaw structure in labrid fish. Publ. Seto Mar. Biol. Lab., 24 : 409-426.
  649. Randall, J. E. & C. Araga. 1978. The Japanese labrid fish *Coris musume*, a junior synonym of the Australian *C. picta*. Publ. Seto Mar. Biol. Lab., 24 : 427-431.
  650. Maruyama, Y. K. 1980. Artificial induction of oocyte maturation and development in the sea cucumbers *Holothuria leucospilota* and *Holothuria pardalis*. Biol. Bull., 158 : 339-348.
  651. Yoshimura, K. 1980. Free-living marine nematodes from Kii Peninsula. I. Publ. Seto Mar. Biol. Lab., 25 : 39-49.
  652. Nishikawa, T. 1980. Contributions to the Japanese ascidian fauna XXXII. Taxonomic review of the species group of *Pyura saciformis* (von Drasche, 1884). Publ. Seto Mar. Biol. Lab., 25 : 79-93.
  653. Utinomi, H., the late. 1980. A new pedunculate cirriped on spines of the sea-urchin, *Coelopleurus maculatus*. Publ. Seto Mar. Biol. Lab., 25 : 115-118.
  654. Imafuku, M. 1980. Activity rhythm of the sea-pen, *Cavernularia obesa* Valenciennes, under temperature and light cycles. Publ. Seto Mar. Biol. Lab., 25 : 119-130.
  655. Nishikawa, T. 1980. Records of two lancelet species, *Asymmentron maldivense* and *A. lucayanum*, from the western North Pacific. Publ. Seto Mar. Biol. Lab., 25 : 167-173.
  656. Fukao, R. 1980. Review of Japanese fishes of the genus *Neoclinus* with description of two new species and notes on habitat preference. Publ. Seto Mar. Biol. Lab., 25 : 175-209.
  657. Valbonesi, A. & M. Murano. 1980. Mysidae of shallow water in Tanabe

- Bay. Publ. Seto Mar. Biol. Lab., 25 : 211-226.
658. Harada, E. 1980. *Puerulus angulatus* from the waters of Kii Peninsula, Japan. Publ. Seto Mar. Biol. Lab., 25 : 243-251.
659. Maruyama, Y. K. 1981. Development of swimming behavior in sea urchin embryos. I. J. Exp. Zool., 215 : 163-171.
660. Miyagawa, K. & T. Hidaka. 1980. *Amphiprion clarkii* juvenile : innate protection against and chemical attraction by symbiotic sea anemones. Proc. Japan Acad., 56 B : 356-361.
661. Yamaoka, K. 1980. Some pharyngeal jaw muscles of *Calotomus japonicus* (Scaridae, Pisces). Publ. Seto Mar. Biol. Lab., 25 : 315-322.
662. Imaoka, T. 1980. Observation on *Psolus squamatus* (Koren) from the Okhotsk Sea (Dendrochirota : Psolidae). Publ. Seto Mar. Biol. Lab., 25 : 361-372.
663. Yoshimura, K. 1980. Five species of the genus *Eurystomina* Filipjev, 1921. Publ. Seto Mar. Biol. Lab., 25 : 373-387.
664. Kobayashi, N. 1980. Comparative sensitivity of various developmental stages of sea urchins to some chemicals. Mar. Biol., 58 : 163-171.
665. Nishikawa, T. 1980. Ascidians from the coast of Kii Peninsula, middle Japan, with descriptions of two new species. Mem. Natn. Sci. Mus., Tokyo, 13 : 97-111.
666. Valbonesi, A. & E. Harada. 1980. The vertical distributions of some copepods and a mysid in a near-shore water of Tanabe Bay. Publ. Seto Mar. Biol. Lab., 25 : 445-460.
667. Morino, H. 1981. Studies on the Talitridae (Amphipoda, Crustacea) in Japan IV. The development of gnathopod II in *Orchestia platensis* Krøyer. Publ. Seto Mar. Biol. Lab., 26 : 1-13.
668. Irimura, S. 1981. Ophiurans from Tanabe Bay and its vicinity, with the description of a new species of *Ophiocentrus*. Publ. Seto Mar. Biol. Lab., 26 : 15-49.
669. Kuwamura, T. 1981. Life history and population fluctuation in the labrid fish, *Labroides dimidiatus*, near the northern limit of its range. Publ. Seto Mar. Biol. Lab., 26 : 95-117.
670. Nishikawa, T. 1981. On a specimen of *Branchiostoma moretonense* Kelly, 1966 from the Arafura sea. Publ. Seto Mar. Biol. Lab., 26 : 119-121.
671. Kobayashi, N. 1981. Comparative toxicity of various chemicals, oil extracts and oil dispersant extracts to Canadian and Japanese sea urchin eggs. Publ. Seto Mar. Biol. Lab., 26 : 123-133.
672. Nishikawa, T. 1981. Considerations on the taxonomic status of the lancelet of genus *Branchiostoma* from the Japanese waters. Publ. Seto Mar. Biol. Lab., 26 : 135-156.
673. Kuroda, K. 1981. A new chaetognath, *Eukrohnia kitoui* n. sp., from the entrance to Tokyo Bay. Publ. Seto Mar. Biol. Lab., 26 : 177-185.
674. Wada, K. 1981. Growth, breeding, and recruitment in *Scopimera globosa* and *Ilyoplax pusillus* (Crustace-

- a : Ocypodidae) in the estuary of Waka River, middle Japan. Publ. Seto Mar. Biol. Lab., 26 : 243-259.
675. Maruyama, Y. K. 1981. Development of swimming behavior in sea urchin embryos. II. J. Exp. Zool., 217 : 251-259.
676. Imafuku, M. 1981. Tidal activity rhythm of the hermit crab, *Pagurus geminus* McLaughlin. Publ. Seto Mar. Biol. Lab., 26 : 327-336.
677. Ohgaki, S. 1981. Spawning activity in *Nodilittorina exigua* and *Peasiella roepstorffiana* (Littorinidae, Gastropoda). Publ. Seto Mar. Biol. Lab., 26 : 437-446.
678. Wada, K. 1981. Wandering in *Scopimera globosa* (Crustacea : Ocypodidae). Publ. Seto Mar. Biol. Lab., 26 : 447-454.
679. Nakamura, H. 1982. Karyological studies on three Patellacean limpets. Venus (Jap. J. Malac.), 40 : 225-231.
680. Maruyama, Y. K. 1981. Precocious breakdown of the germinal vesicle induces parthenogenetic development in sea cucumbers. Biol. Bull., 161 : 382-391.
681. Itô, T. 1982. The origin of 'biramous' copepod legs. Journal of Natural History, 16 : 715-726.
682. Nakamura, H. 1982. Karyotypes of three species of *Notoacmea* (Gastropoda : Acmaeidae). Publ. Seto Mar. Biol. Lab., 27 : 17-23.
683. Yoshimura, K. 1982. Free-living marine nematodes from Kii Peninsula. II. Publ. Seto Mar. Biol. Lab., 27 : 133-142.
684. Itô, T. 1982. *Diosaccus* sp. aff. *dentatus* (Thompson et A. Scott) (Copepoda, Harpacticoida) from Mactan Isl., the Philippines. Publ. Seto Mar. Biol. Lab., 27 : 165-171.
685. Nakamura, H. 1983. The chromosomes of *Scutus (Aviscutum) sinensis* (Archaeogastropoda : Fissurellidae). La Kromosomo II-30-31 : 927-930.
686. Nakamura, I. & E. Fujii. 1983. A new genus and species of Gempylidae (Pisces : Perciformes) from Tonga Ridge. Publ. Seto Mar. Biol. Lab., 27 : 173-191.
687. Wada, K. 1983. Spatial distributions and population structures in *Scopimera globosa* and *Ilyoplax pusillus* (Decapoda : Ocypodidae). Publ. Seto Mar. Biol. Lab., 27 : 281-291.
688. Wada, K. 1983. Temporal changes of spatial distributions of *Scopimera globosa* and *Ilyoplax pusillus* (Decapoda : Ocypodidae) at co-occurring areas. Jap. J. Ecol., 33 : 1-9.
689. Wada, K. 1983. Movement of burrow location in *Scopimera globosa* and *Ilyoplax pusillus* (Decapoda : Ocypodidae). Physiol. Ecol. Japan., 20 : 1-21.
690. Itô, T. 1983. Harpacticoid copepods from the Pacific abyssal off Mindanao. II. Cervinidae (cont.), Thalesitridae, and Ameiridae. Publ. Seto Mar. Biol. Lab., 28 : 151-254.
691. Imafuku, M. 1983. New shell acquisition in the hermit crab, *Pagurus geminus*. J. Ethol., 1 : 91-100.
692. Imafuku, M. 1983. Two hermit crabs inhabiting a single gastropod shell. J. Ethol., 1 : 113-114.
693. Kobayashi, N. 1984. Marine ecotoxi-

- ecological testing with echinoderms. G. Persoone, E. Jaspers & C. Claus (ed.), *Ecotoxicological Testing for the Marine Environment*, Vol.1, pp. 341-405. State Univ. Ghent & Inst. Mar. Scient. Res., Bredene, Belgium.
694. Wada, K., R. Fukao, T. Kuwamura, M. Nishida & Y. Yanagisawa. 1983. Distribution and growth of the gastropod *Strombus luhuanus* at Shirahama, Japan. Publ. Seto Mar. Biol. Lab., 28 : 417-432.
  695. Kuwamura, T., R. Fukao, M. Nishida, K. Wada & Y. Yanagisawa. 1983. Reproductive biology of the gastropod *Strombus luhuanus* (Strombidae). Publ. Seto Mar. Biol. Lab., 28 : 433-443.
  696. Yanagisawa, Y. 1984. Studies on the interspecific relationship between gobiid fish and snapping shrimp II. Life history and pair formation of snapping shrimp *Alpheus bellulus*. Publ. Seto Mar. Biol. Lab., 29 : 93-116.
  697. Wada, K. 1984. Pair formation in the two forms of *Macrophthalmus japonicus* De Haan (Crustacea : Brachyura) at a co-occurring area. J. Ethol., 2 : 7-10.
  698. Kuwamura, T. 1984. Social structure of the protogynous fish *Labroides dimidiatus*. Publ. Seto Mar. Biol. Lab., 29 : 117-177.
  699. Itô, T. & S. Ohtsuka. 1984. Cypris y from the North Pacific (Crustacea : Maxillopoda). Publ. Seto Mar. Biol. Lab., 29 : 179-186.
  700. Maruyama, Y. K. 1985. Holothurian oocyte maturation induced by radial nerve. Biol. Bull., 168 : 249-262.
  701. Nakamura, H. K. 1985. The chromosomes of *Haliotis diversicolor aquatilis* (Archaeogastropoda : Haliotidae). Malacological Review, 18 : 113-114.
  702. Wada, K. 1984. Barricade building in *Ilyoplax pusillus* (De Haan) (Crustacea : Brachyura). J. Exp. Mar. Biol. Ecol., 83 : 73-88.
  703. Imafuku, M. 1984. Quality of shells occupied by the hermit crab *Pagurus geminus* : how many hermit crabs are satisfied with their shells? J. Ethol., 2 : 31-36.
  704. Wada, K. 1985. Unique foraging behavior of *Dotillopsis brevitarsis* (Crustacea Brachyura : Ocypodidae). J. Ethol., 3 : 76-78.
  705. Ohtsuka, S. 1984. Calanoid copepods collected from the near-bottom in Tanabe Bay on the Pacific coast of the middle Honshu, Japan. I. Arietellidae. Publ. Seto Mar. Biol. Lab., 29 : 359-365.
  706. Itô, T. 1984. Another cypris y from the North Pacific, with reference to the bending behavior exhibited by a cypris y specimen of the formerly described type (Crustacea : Maxillopoda). Publ. Seto Mar. Biol. Lab., 29 : 367-374.
  707. Itô, T. 1985. Contributions to the knowledge of cypris y (Crustacea : Maxillopoda) with reference to a new genus and three new species from Japan. Special Publication of the Mukaishima Marine Biological Station, 1985 : 113-122.
  708. Ohtsuka, S. & E. Yoshioka. 1985. A

- preliminary note on the pelagic eggs of marine invertebrates. Special Publication of the Mukaishima Marine Biological Station, 1985 : 225-235.
709. Itô, T. 1984. A phylogenetic study of the family Harpacticidae (Harpacticoida) : some problems in character differentiation processes through the copepodid stages. *Crustaceana*, Suppl. 7 : 267-278.
710. Maruyama, Y. K., Y. Nakaseko & S. Yagi. 1985. Localization of cytoplasmic determinants responsible for primary mesenchyme formation and gastrulation in the unfertilized egg of the sea urchin *Hemicentrotus pulcherrimus*. *J. Exp. Zool.*, 236 : 155-163.
711. Hoshino, Z. & T. Nishikawa. 1985. Taxonomic studies of *Ciona intestinalis* (L.) and its allies. *Publ. Seto Mar. Biol. Lab.*, 30 : 61-79.
712. Fukao, R. 1985. An annotated list of blennioid fishes from Shirahama, Wakayama Prefecture, Japan. *Publ. Seto Mar. Biol. Lab.*, 30 : 81-124.
713. Ohtsuka, S. 1985. A note on the feeding habit of a calanoid copepod, *Pontelopsis yamadae* Mori. *Publ. Seto Mar. Biol. Lab.*, 30 : 145-149.
714. Itô, T. 1985. Affinity between juvenile Tantulocarida thoracopods and postantennular appendages of maxillopodan nauplii (Crustacea). *Publ. Seto Mar. Biol. Lab.*, 30 : 151-166.
715. Kobayashi, N. 1985. Marine pollution bioassay by sea urchin eggs, an attempt to enhance accuracy, II. *Publ. Seto Mar. Biol. Lab.*, 30 : 213-226.
716. Ishimaru, Sh. 1985. A new species of *Leptochelia* (Crustacea, Tanaidacea) from Japan, with a redescription of *L. savignyi* (Krøyer, 1842). *Publ. Seto Mar. Biol. Lab.*, 30 : 241-267.
717. Noda, H. 1985. Description of a new subspecies of *Angursa biscopis* Pollock (Heterotardigrada, Halechiniscidae) from Tanabe Bay, Japan. *Publ. Seto Mar. Biol. Lab.*, 30 : 269-276.
718. Ohtsuka, S. 1985. Calanoid copepods collected from the near-bottom in Tanabe Bay on the Pacific coast of the middle Honshu, Japan. II. Arietellidae (cont.). *Publ. Seto Mar. Biol. Lab.*, 30 : 287-306.
719. Itô, T. 1985. A new subspecies of *Longipedia andamanica* Wells from the Pacific coast of Japan, with reference to the morphology of *L. coronata* Claus (Copepoda : Harpacticoida). *Publ. Seto Mar. Biol. Lab.*, 30 : 307-324.
720. Harada, E., M. Nishino & T. Narita. 1985. A partite plankton sampler and summer vertical structure of zooplankton revealed using it in shallow brackish waters, Lake Shinji-ko and Lake Naka-umi. *Physiol. Ecol. Japan*, 22 : 37-57.
721. Nakamura, H. K. 1985. A review of molluscan cytogenetic information based on the CISMOCH-computerized index system for molluscan chromosomes. Bivalvia, Polyplacophora and Cephalopoda. *Venus*, 44 : 193-225.
722. Nakamura, H. K. 1985. Karyological studies of Neritidae (Streptoneura : Archaeogastropoda). I. Chromosomes of five species from Hong Kong, with

- special reference to the sex chromosomes. B. Morton & D. Dudgeon (ed.), Proceedings of the Second International Workshop on the Malacofauna of Hong Kong and Southern China, Hong Kong, 1983, pp.257-273. Hong Kong University Press, Hong Kong.
723. Abe, N. 1985. Breeding of *Thais clavigera* (Küster) and predation of its eggs by *Cronia margariticola* (Broderip). B. Morton & D. Dudgeon (ed.), Proceedings of the Second International Workshop on the Malacofauna of Hong Kong and Southern China, Hong Kong, 1983, pp.381-392. Hong Kong University Press, Hong Kong.
724. Takenouchi, K. 1985. A boulder shore gastropod fauna in Hong Kong. B. Morton & D. Dudgeon (ed.), Proceedings of the Second International Workshop on the Malacofauna of Hong Kong and Southern China, Hong Kong, 1983, pp.413-419. Hong Kong University Press, Hong Kong.
725. Ohgaki, S. 1985. Distribution of the family Littorinidae (Gastropoda) on Hong Kong rocky shores. B. Morton & D. Dudgeon (ed.), Proceedings of the Second International Workshop on the Malacofauna of Hong Kong and Southern China, Hong Kong, 1983, pp.457-464. Hong Kong University Press, Hong Kong.
726. Ohgaki, S. 1985. Field observations of the rhythmic up-and-down movement of *Nodilittorina exigua* (Gastropoda : Littorinidae). J. Ethol., 3 : 49-58.
727. Ohgaki, S. 1985. Vertical variation in size structure and density of the littoral fringe periwinkle, *Nodilittorina exigua*. Venus, 44 : 260-269.
728. Itô, T. 1985. Interstitial animals from sandy shores around the Seto Marine Biological Laboratory, Shirahama, Japan. Zool. Sci., 2 : 1008.
729. Abe, N. 1985. Two forms of *Thais clavigera* (Küster, 1858). Venus, 44 : 15-26.
730. Noda, H. 1985. Distribution of marine Tardigrada at a beach at Tanabe Bay, Kii Channel. Zool. Sci., 2 : 1005.
731. Nakamura, H. K. 1985. Chromosomes of Archaeogastropoda (Mollusca), with some remarks on cytotaxonomy of limpet-form snails. Zool. Sci., 2 : 1008.
732. Ohgaki, S., N. Abe, T. Takegami & K. Wada. 1985. Spatial occurrence of 91 intertidal animal species on Hatakejima Island, 1983. Publ. Seto Mar. Biol. Lab., 30 : 325-332.
733. Horikoshi, M., S. Ohta, M. Okiyama, M. Shigei, M. Imajima, M. Takeda, S. Gamô, H. Noda, S. Irimura, K. Nakamura, S. Hiruta, K. Kito, T. Itô, T. Hoshino & O. Okamura. 1983. Preliminary catalogue of benthic organisms collected at each station during various cruises of R/Vs Tansei-Marû and Hakuhô-Marû, Ocean Research Institute, University of Tokyo (1966-1982). M. Horikoshi, S. Ohta, Y. Shirayama & E. Tsuchida (ed.), Report for a part of the result of Grant-in-aid for Co-operative Research (A), Ministry of Education, Science and Culture : "Studies on Off-shore and Deep-sea Faunas in

the West Pacific and Indian Oceans” (Proj. No. 00534033), pp.i-iii, 1-160. Ocean Research Institute, University of Tokyo, Tokyo.

734. Itô, T. 1984. Nauplius y and cypris y (problematic crustacean larvae) from Japan. Zool. Sci., 1 : 1000.

#### 邦 文 業 績

191. 小林直正・小仲恵子. 1971. ウニの卵形成の周期性に関する研究 1. 卵形成と栄養食細胞の増減の関係についての組織化学的研究. 同志社大学理工学研究報告, 12 (2) : 131-149.
192. 田名瀬英明. 1971. ルリスズメの産卵とふ化. 動物園水族館雑誌, 13 (1) : 1-3.
193. 岡田 稔. 1971. ウニの生殖器官形成における輸管原基の中心的役割. 発生生物学誌, 25 : 53-55.
194. 山本虎夫. 1971. 紀州産貝類生態覚え書 I. 南紀生物, 13 (2) : 48-49.
195. 内海富士夫. 1973. 京大理学部付属瀬戸臨海実験所. 海洋科学, 5 (2) : 61-66.
196. 時岡 隆. 1973. 第2回腔腸動物国際シンポジウムの記録. 日本プランクトン学会報, 19 (2) : 133-136.
197. 荒賀忠一・田名瀬英明・森山惣一・太田 満・樫山嘉郎. 1973. マンボウの飼育例とその生態の考察. 動物園水族館雑誌, 15 (2) : 27-32.
198. 西村三郎. 1973. 海流と生物の長距離分散. 海洋科学, 5 (6) : 61-68.
199. 西村三郎. 1973. ウミガメー最近の話題から一. 動物と自然, 3 (9) : 18-21.
200. 柳澤康信・田名瀬英明. 1973. 白浜におけるハリサンショウウニの異常増加について. 南紀生物, 15 (2) : 37-40.
201. 山本虎夫. 1973. 和歌山県産海藻分布資料 II. 南紀生物, 15 (2) : 35-36.
202. 小林直正. 1973. ウニ卵による海水汚染の生物検定の方法 II. 南紀生物, 15 (2) : 31-34.
203. コルデロ, P. A., Jr. 1974. 日本およびその近海のヘライワツタ *Caulerpa brachypus* Harvey (緑藻類) の分布. 南紀生物, 16 (1) : 6-9.
204. 田名瀬英明・荒賀忠一. 1975. クマノミ, *Amphiprion clarkii*, の産卵と仔魚の飼育. 動物園水族館雑誌, 17 (1) : 16-21.
205. 山本虎夫・コルデロ, P. A., Jr. 1974. 紀伊半島に漂着した熱帯性褐藻類 3 種. 南紀生物, 16 (2) : 33-36.
206. 小林直正. 1975. ウニ卵による海水汚染の生物検定 I 紀北海域. 南紀生物, 17 (2) : 33-36.
207. コルデロ, P. A., Jr. 1975. 日本産新記録の海藻. 南紀生物, 17 (2) : 37-39.
208. 時岡 隆・原田英司・布施慎一郎. 1975. 和歌山県神島(田辺市)より番所岬をへて権現崎(白浜町)にいたる沿岸海域の学術調査. 京都大学理学部付属瀬戸臨海実験所(編), 自然環境保全地域(海中特別地区)候補地学術調査報告書, pp.1-24.
209. 小林直正・藤永 薫. 1976. ウニ卵の受精・発生に及ぼす重金属の阻害作用の相乗効果. 同志社大学理工学研究報告, 17 (1) : 54-69.
210. 西川輝昭. 1976. 能登産アカヒメウニに外部寄生するヤマモトヤドリニナ. 南紀生物, 18 (1) : 23-24.
211. 桑村哲生. 1976. 白浜付近の枝状サンゴ(ミドリイシ類)の枝間にみられる魚類の季節的消長. 南紀生物, 18 (1) : 15-22.

212. 桑村哲生・樫山嘉郎. 1976. 寒波によるタカラガイ類の死亡. 南紀生物, 18 (2): 46-48.
213. コルデロ, P. A., Jr. 1976. 瀬戸臨海実験所付近におけるフサカニノテ *Marginisporum aberrans* (Yendo) Johansen and Chihara (紅藻類, サンゴモ科) について. 南紀生物, 18 (2): 54-55.
214. 小西良平. 1976. レイシガイ, ヒトデに食い荒らされるムラサキガイ個体群. 南紀生物, 18 (2): 63-64.
215. 田名瀬英朋. 1977. タカアシガニ *Macrocheira kaempferi* (Temminck) の産卵に関する知見. 南紀生物, 19 (2): 49-51.
216. 西川輝昭. 1978. 瀬戸内海興居島産シワクチボヤ *Pyura saciformis* (von Drasche, 1884) の囲鰓腔にみられた魚卵について. 南紀生物, 20 (1): 30. : 30.
217. 和田恵次. 1978. 和歌山県産スナガニ類とその分布について. 南紀生物, 20 (1): 18-22.
218. 西川輝昭. 1978. 田辺湾ではじめて採集されたナメクジウオ. 南紀生物, 20 (1): 39-40.
219. 小林直正. 1978. カイ卵による海水汚染の生物検定の基礎的研究. 同志社大学理工学研究報告, 19 (3): 68-75.
220. 小林直正. 1979. フジツボ幼生およびワムシによる海水汚染の生物検定の基礎的研究. 同志社大学理工学研究報告, 19 (4): 61-67.
221. 布施慎一郎・西川輝昭・阿部直哉・福井康雄・山本虎夫・山西良平. 1979. 御坊市名田海岸の岩礁生物 1. 南紀生物, 21 (1): 10-17.
222. 布施慎一郎・西川輝昭・阿部直哉・福井康雄・山本虎夫・山西良平. 1979. 御坊市名田海岸の岩礁生物 2. 南紀生物, 21 (2): 88-101.
223. 阿部直哉. 1980. 肉食性腹足類数種の餌生物と食い方 (予報). ベントス研連誌, 19/20: 39-47.
224. 阿部直哉. 1980. 田辺湾湾奥におけるアマガイ個体群の絶滅について. 南紀生物, 22 (1): 21-25.
225. 布施慎一郎・西川輝昭・阿部直哉・福井康雄・山本虎夫・山西良平. 1980. 御坊市名田海岸の岩礁生物 3. 南紀生物, 22 (1): 36-45.
226. 桑村哲生. 1980. 白浜浅海岩礁でみられた掃除共生関係. 南紀生物, 22 (1): 29-32.
227. 三宅貞祥・今福道夫. 1980. 紀州産ヤドカリ類 I. 南紀生物, 22 (1): 1-7.
228. 三宅貞祥・今福道夫. 1980. 紀州産ヤドカリ類 II. 南紀生物, 22 (2): 59-64.
229. 布施慎一郎・西川輝昭・阿部直哉・福井康雄・山本虎夫・山西良平. 1980. 御坊市名田海岸の岩礁生物 4. 南紀生物, 22 (2): 80-87.
230. 桑村哲生. 1980. 南紀白浜の沿岸岩礁地帯における魚類の出現季節. 魚類学雑誌, 27 (3): 243-248.
231. 三宅貞祥・今福道夫. 紀州産ヤドカリ類補遺. 南紀生物, 23 (1): 16.
232. 桑村哲生. 1981. 掃除魚ホンソメワケベラへの擬態. 南紀生物, 23 (2): 61-70.
233. 今福道夫・布村 昇. 1981. 島のホソウミナ. 南紀生物, 23 (2): 71-76.
234. 大迫義人・岩崎敬二・崎向伸二・福富立・佐竹 潔. 1981. 京都大学瀬戸臨海実験所付近の岩礁性潮間帯における生物分布の一例 I. 南紀生物, 23 (2): 97-102.



235. 和田恵次. 1982. コメツキガニの性行動. 南紀生物, 24 (1): 43-46.
236. 大迫義人・岩崎敬二・崎向伸二・福富立・佐竹 潔. 1982. 京都大学瀬戸臨海実験所付近の岩礁性潮間帯における生物分布の一例Ⅱ. 南紀生物, 24 (1): 47-52.
237. 布施慎一郎・西川輝昭・阿部直哉・福井康雄・山本虎夫・山西良平. 1982. 御坊市名田海岸の岩礁生物 5. 南紀生物, 24 (1): 58-63.
238. 和田恵次. 1982. コメツキガニとチゴガニの底質選好性と摂餌活動. ベントス研究会誌, 23: 14-26.
239. 原田英司・吉村克生・今岡 亨・和田恵次. 1982. 田辺湾の海況—1981年9月と1982年2月. 南紀生物, 24 (2): 77-83.
240. 大迫義人・岩崎敬二・佐竹 潔・崎向伸二・福富 立. 1982. 京都大学瀬戸臨海実験所付近の岩礁性潮間帯における生物分布の一例Ⅲ. 南紀生物, 24 (2): 107-113.
241. 小林直正. 1983. ウニ卵による海水汚染の生物検定Ⅱ田辺湾. 南紀生物, 25 (1): 8-12.
242. 桑村哲生. 1983. テンジクダイ科魚類の生活史における生息場所と分布状態の変化. 南紀生物, 25 (1): 13-18.
243. 大垣俊一. 1983. 小笠原諸島父島二見湾におけるタマキビガイ科の分布. 南紀生物, 25 (1): 59-62.
244. 竹之内孝一. 1983. メクラガイの活動パターン. 南紀生物, 25 (1): 99-102.
245. 吉岡英二. 1983. ヒザラガイの垂直分布とサイズ組成. 南紀生物, 25 (1): 126-129.
246. 和田恵次・福井康雄・阿部直哉. 1983. 転石海岸における動物分布の一例. 日本ベントス研究会誌, 25: 33-39.
247. 福井康雄・和田恵次. 1983. 田辺湾南岸の異尾類・短尾類とその分布. 南紀生物, 25 (2): 159-167.
248. 大垣俊一. 1983. 北海道におけるタマキビガイ科の分布—特に厚岸湾における分布の内湾外洋系列について—. 南紀生物, 25 (2): 173-180.
249. 小林直正. 1983. ウニ卵による海水汚染の生物検定Ⅱ田辺湾, 補遺. 南紀生物, 25 (2): 181-182.
250. 阿部直哉. 1983. ツタノハガイ科のカサガイ 3 種の肉食性腹足類に対する逃避行動. 南紀生物, 25 (2): 193-194.
251. 伊藤立則. 1984. 石狩浜の間隙動物の研究 (予報). 日本ベントス研究会誌, 26: 1-14.
252. 高畑由起夫・木村恵春・本城弘文・山本章嗣. 1984. 畠島におけるウニ類の分布. 南紀生物, 26 (1): 25-29.
253. 竹上俊也. 1984. 日置川のアマゴに寄生するチョウモドキについて. 南紀生物, 26 (1): 45-50.
254. 和田恵次・山本善万. 1984. ワダツミギボシムシ糞塊についての予備的観察. 南紀生物, 26 (1): 51-52.
255. 大垣俊一・田名瀬英朋. 1984. 畠島磯観察記録, 1949-1983 その1. 南紀生物, 26 (1): 56-61.
256. 小林直正・笹尾 茂・真鍋嘉之. 1984. ウニ卵形成の周期性に関する研究 2. 飼育条件の影響についての組織化学的研究. 同志社大学理工学研究報告, 25 (3): 55-74.
257. 大垣俊一. 1984. 畠島本島西岸の海岸生物相, 1969年と1984年. 南紀生物, 26 (2): 77-85.
258. 大垣俊一・田名瀬英朋. 1984. 畠島磯観察記録, 1949-1983 その2. 南紀生物, 26 (2): 105-111.

259. 藤原律朗・大塚 攻. 1984. カルエボシより見いだされた多毛類の一種. 南紀生物, 26 (2): 113-114.
260. 和田恵次. 1985. 白浜沿岸におけるヒメカクオサガニの季節的消長. 南紀生物, 27 (1): 27-29.
261. 山本虎夫. 1985. 和歌山県産海藻分布資料Ⅲ. 南紀生物, 27 (1): 39-40.
262. 小林直正. 1985. ウニ受精卵に及ぼす各種汚染物質の影響の研究—海水汚染の生物検定のための基礎としてⅡ—. 同志社大学研究報告, 26 (1): 1-7.
263. 吉岡英二. 1985. 潮汐周期を与えることができる飼育装置の一例. 日本ベントス研究会誌, 28: 63-66.
264. 竹之内孝一. 1985. "イシダタミガイ"の形態学的検討及びその分布について. Venus, 44 (2): 110-122.
265. 小林直正. 1985. 海産生物に対する高温の影響 (解説). 南紀生物, 27 (2): 67-69.
266. 今福道夫. 1985. ホンヤドカリの殻交換. 南紀生物, 27 (2): 70-74.
267. 池田久和・今福道夫. 1985. 白浜でナキオカヤドカリ採集. 南紀生物, 27 (2): 112.
268. 布施慎一郎. 1976. 瀬戸内海中央部におけるガラモ場の衰退について. ベントス研連誌, 11/12: 50-52.
269. 谷山鉄郎・堀田 満・本谷 勲・田口圭介・出浦隆一郎・西川輝昭・林智・布施慎一郎. 1976. 大気汚染と植物被害—大阪府泉南郡岬町とその周辺地域におけるサトイモ葉とヤマモモの被害—. 科学, 46 (12): 767-774.
270. 田名瀬英朋. 1977. 和歌山県・白浜町でカブトガニ採取される. 南紀生物, 19 (2): 58.
271. 布施慎一郎. 1980. 京都府網野町海中公園地区候補地の無脊椎動物. 海中公園センター調査報告, 69 (京都府網野町海中公園地区候補地学術調査報告書): 59-69.
272. 村上彰男・酒井保次・布施慎一郎. 1980. 空港建設による環境変化予察—磯浜生物. 日本水産資源保護協会・関西国際空港建設計画検討のための漁業環境影響調査委員会 (編), 関西国際空港建設計画検討のための漁業環境影響調査委員会報告 (昭和51~54年度), pp.(2-98)~(2-137).
273. 和田恵次. 1983. 和歌山県におけるアリアケモドキの記録. 南紀生物, 25 (2): 190.
274. 田名瀬英朋. 1984. ウチワサボテングサの自生地について. 南紀生物, 26 (2): 126.
275. 田名瀬英朋. 1985. 南部沖で採れたラブカについて. 南紀生物, 27 (1): 40.
276. 田名瀬英朋. 1985. 南部沖で採れたサメハダホウズキイカ. 南紀生物, 23 (2): 114.

#### その他の著作

- 西村三郎 (分担執筆), 内海富士夫 (監修).  
1971. 標準原色図鑑全集 第16巻 海岸動物. 保育社.
- 荒賀忠一 (監修・分担執筆). 1972. 水の動物3 図解自然観察シリーズ. 学研.
- 布施慎一郎 (分担執筆). 1972. 日本の空と関西新空港. 日本科学者会議空港研究会 (編), 汐文社.
- 西村三郎, 時岡 隆 (分担執筆). 1972. 生態学研究シリーズ3 海の生態学. 築地書館.
- 荒賀忠一 (分担執筆). 1974. 飼育ハンドブック 水族館編—繁殖・餌料・病気—. 日本動物園水族館協会.
- 原田英司 (分担執筆). 1974. 生態学辞典.

築地書館.

西村三郎. 1974. 日本海の成立 生物地理学からのアプローチ. 築地書館.

西村三郎・山本虎夫. 1974. カラー自然ガイド 海辺の生物. 保育社.

西村三郎・時岡 隆 (訳). 1974. 海岸の生物 (A. J. サウスワード著). 河出書房.

荒賀忠一 (共著). 1975. 魚類図鑑 南日本の沿岸魚. 東海大学出版会.

布施慎一郎. 1975. 三菱石油水島製油所の重油流出事故にたいするとりくみ. 日本の科学者, 10, 日本科学者会議.

西村三郎 (分担執筆), 内海富士夫 (監修). 1975. 学研中高生図鑑 水生動物. 学研.

布施慎一郎 (分担執筆). 1976. 瀬戸内海の世界生態と漁場. フジテクノシステム.

荒賀忠一, 田名瀬英朋 (分担執筆). 1976. 飼育ハンドブック 水族館編—採集・運搬・展示—. 日本動物園水族館協会.

布施慎一郎 (分担執筆). 1977. 水産学シリーズ17 海の生態学と測定. 恒星社厚生閣.

布施慎一郎, 原田英司, 西村三郎 (分担執筆). 1977. 岩波生物学辞典 第2版. 岩波書店.

荒賀忠一 (分担執筆). 1978. 飼育ハンドブック 水族館編—飼育水・施設・事故・調教—. 日本動物園水族館協会.

布施慎一郎, 山本虎夫 (分担執筆). 1978. すさみ町誌. すさみ町.

布施慎一郎 (分担執筆). 1979. 自然保護の生態学—野生生物の保護と管理—. 培風館.

田名瀬英朋, 和田恵次, 山本虎夫 (分担執筆). 1979. わかやまの生物. 帯伊書店.

田名瀬英朋 (共著). 1979. えほん・しぜんシリーズ<23>いそのいきもの. ポプラ社.

荒賀忠一 (分担執筆). 1980. 学研ハイベス

ト教科辞典12 動物の世界. 学研.

荒賀忠一 (共著). 1980. 魚類図鑑 南日本の沿岸魚 改訂版. 東海大学出版会.

原田英司 (分担執筆). 1980. 基礎生物学ハンドブック. 岩波書店.

布施慎一郎 (分担執筆). 1981. 藻場・海中林 水産学シリーズ38. 恒星社厚生閣.

和田恵次 (分担執筆). 1981. 渚の生物. 海鳴社.

荒賀忠一. 1982. アマゴの海水水槽飼育. 淡水魚増刊ヤマメ・アマゴ特集. 淡水魚保護協会.

和田恵次. 1982. 干潟のカニの生活. アニマ, 114号, 平凡社.

山本虎夫 (分担執筆). 1982. 白浜町誌 自然編 白浜の自然. 白浜町.

荒賀忠一. 1983. 白浜水族館『磯の生物水槽』の紹介. アニマ, 125号, 平凡社.

布施慎一郎. 1983. 南紀白浜周辺の生物相. 環境庁自然保護局.

原田英司 (分担執筆). 1983. 岩波生物学辞典 第3版. 岩波書店.

荒賀忠一 (共編・分担執筆). 1984. 日本産魚類大図鑑. 東海大学出版会.

荒賀忠一 (分担執筆). 1984. 魚の歳時記. 学研.

荒賀忠一, 和田恵次 (分担執筆). 1984. 小学館 新百科辞典. 小学館.

荒賀忠一 (指導執筆), 太田 満・山本泰司 (分担執筆). 1984. 原色ワイド図鑑12 飼育II (水生動物). 学研.

原田英司 (分担執筆). 1984. Lake Biwa. Junk Publishers.

荒賀忠一 (分担執筆). 1985. 海釣りの図鑑. 世界文化社.

荒賀忠一. 1985. 白浜水族館の紹介. 動物と自然, 15 (7), ニューサイエンス社.

荒賀忠一 (共著). 1985. さかな大図鑑. 週刊釣りサンデー.

原田英司 (分担執筆). 1985. 科学の辞典

第3版. 岩波書店.

原田英司 (編集協力・分担執筆). 1985. 環境科学辞典. 東京化学同人社.


伊藤立則. 1985. 砂のすきまの生きものた

ち. 海鳴社.

山本泰司 (共訳). 1985. さんご礁の海からー行動学者の海中実験 (ハンス, W. フリッケ著). 思索社.



水族館前景



第1水槽室